

Extra Heavy Duty Series ED, Wheel P



max 1400 kg -30 °C - +80 °C 100-250 mm

+++
swivels easily

+++
wear resistant

+++
shock proof

+++
floor protective

+++
weather proof

Material



Casted high quality nylon wheel

Material Fork



For applications where a super strong and durable caster is required,
one tapered roller and one axial ball bearing,
dust protection ring,
very strong integrated Kingpin,
locked nut, grease nipple, wheel axle bolted,
finish – painted

Advantages

- ✓ easy running on smooth floors
- ✓ impact proof
- ✓ high abrasion resistance
- ✓ easy to clean
- ✓ high chemical resistance

Applications

- Metal-Technology
- Heavy duty dollies
- Trash container trucks
- Machinery moving dollies
- Workshops
- Racks
- Building-Industry
- Carpentry



SWIVEL CASTOR



SWIVEL CASTOR WITH TOTAL LOCK



FIXED CASTOR

Dimensions

ARTICLE NUMBER	ARTICLE TYPE	WHEEL-Ø A X WIDTH B MM	LOAD CAPACITY KG	OVERALL HEIGHT H MM	DIMENSION OF TOP PLATE TP MM	HOLE SPACING HS MM	HOLE-Ø HD MM	SWIVEL RADIUS SR MM	WHEEL BEARING	PRICE €
ED 101 PK	Swivel castor	100x37	250	146	105x85	80x60	9	92		166,20
EDF 101 PK	Fixed castor	100x37	250	146	105x85	80x60	9			73,92
ED 101 P	Swivel castor	100x37	250	146	105x85	80x60	9	92		138,00
EDF 101 P	Fixed castor	100x37	250	146	105x85	80x60	9			41,88
ED 126 PK	Swivel castor	125x45	500	172	135x110	105x80	11	115		198,24
EDF 126 PK	Fixed castor	125x45	500	172	135x110	105x80	11			88,08
ED 126 P	Swivel castor	125x45	500	172	135x110	105x80	11	115		165,84
EDF 126 P	Fixed castor	125x45	500	172	135x110	105x80	11			60,24
ED 150 PK	Swivel castor	150x40	400	195	135x110	105x80	11	132		188,88
EDF 150 PK	Fixed castor	150x40	400	195	135x110	105x80	11			81,00
ED 150 PB	Swivel castor	150x40	400	195	135x110	105x80	11	132		173,04
EDF 150 PB	Fixed castor	150x40	400	195	135x110	105x80	11			64,80
ED 150 P	Swivel castor	150x40	400	195	135x110	105x80	11	132		166,32
EDF 150 P	Fixed castor	150x40	400	195	135x110	105x80	11			58,32
ED 151 PK	Swivel castor	150x48	900	195	135x110	105x80	13	142		248,64
EDT 151 PK	Swivel castor with total lock	150x48	900	195	135x110	105x80	13	150		297,00
EDF 151 PK	Fixed castor	150x48	900	195	135x110	105x80	13			115,44
ED 151 P	Swivel castor	150x48	900	202	135x110	105x80	13	142		209,16
EDT 151 P	Swivel castor with total lock	150x48	900	202	135x110	105x80	13	150		256,68
EDF 151 P	Fixed castor	150x48	900	202	135x110	105x80	13			75,36
ED 175 PK	Swivel castor	175x50	500	239	135x110	105x80	13	159		256,08
EDT 175 PK	Swivel castor with total lock	175x50	500	239	135x110	105x80	13	159		304,32
EDF 175 PK	Fixed castor	175x50	500	239	135x110	105x80	13			117,60
ED 201 PK	Swivel castor	200x50	1000	251	135x110	105x80	13	172		299,40
EDT 201 PK	Swivel castor with total lock	200x50	1000	251	135x110	105x80	13	172		347,52

EDF 201 PK	Fixed castor	200x50	1000	251	135x110	105x80	13			152,64
ED 201 P	Swivel castor	200x50	1000	251	135x110	105x80	13	172		255,48
EDT 201 P	Swivel castor with total lock	200x50	1000	251	135x110	105x80	13	172		285,96
EDF 201 P	Fixed castor	200x50	1000	251	135x110	105x80	13			108,84
ED 250 PK	Swivel castor	250x60	1400	305	200x160	160x120	15	212		415,56
EDF 250 PK	Fixed castor	250x60	1400	305	200x160	160x120	15			232,44