

Heavy Duty Series PD, Wheel Q

 max 750 kg  -30 °C - +80 °C  80-200 mm

 **swivels easily**

 **wear resistant**

 **shock proof**

 **floor protective**

 **weather proof**

Material



Casted iron wheel, painted, round machined tread

Material Fork



Finish: electro-zinc plated, hardened steel balls, double ball race
– hardened steel sheet, with strong Kingpin bolted and locked –
adjustable, thermoplastic dust protection ring and seal, wheel axle
bolted, adjustable total lock – leading or trailing available

Advantages

- ✓ easy running on smooth floors
- ✓ very high load capacity
- ✓ excellent abrasion resistance
- ✓ with plain or ball bearing for high temperatures

Applications

- Heavy duty dollies
- Machinery moving dollies
- Scaffolds
- Racks

 **ROLLENBAU**



SWIVEL CASTOR



SWIVEL CASTOR WITH TOTAL LOCK



FIXED CASTOR

Dimensions

ARTICLE NUMBER	ARTICLE TYPE	WHEEL-Ø A X WIDTH B MM	LOAD CAPACITY KG	OVERALL HEIGHT H MM	DIMENSION OF TOP PLATE TP MM	HOLE SPACING HS MM	HOLE-Ø HD MM	SWIVEL RADIUS SR MM	WHEEL BEARING	PRICE €
PD 80 Q	Swivel castor	80x30	250	128	105x85	80x60	8,5	83	☐	58,20
PDT 80 Q	Swivel castor with total lock	80x30	250	128	105x85	80x60	8,5	140	☐	81,84
PDF 80 Q	Fixed castor	80x30	250	128	105x85	80x60	8,5		☐	33,48
PD 100 QK	Swivel castor	100x30	450	138	105x85	80x60	8,5	93	☐	71,88
PDT 100 QK	Swivel castor with total lock	100x30	450	138	105x85	80x60	8,5	140	☐	95,52
PDF 100 QK	Fixed castor	100x30	450	138	105x85	80x60	8,5		☐	47,64
PD 100 Q	Swivel castor	100x30	450	138	105x85	80x60	8,5	93	☐	63,00
PDT 100 Q	Swivel castor with total lock	100x30	450	138	105x85	80x60	8,5	140	☐	87,36
PDF 100 Q	Fixed castor	100x30	450	138	105x85	80x60	8,5		☐	38,64
PD 130 QK	Swivel castor	130x40	450	166	135x110	105x80	10,5	109	☐	82,20
PDT 130 QK	Swivel castor with total lock	130x40	450	166	135x110	105x80	10,5	140	☐	103,56
PDF 130 QK	Fixed castor	130x40	450	166	135x110	105x80	10,5		☐	65,76
PD 130 Q	Swivel castor	130x40	450	166	135x110	105x80	10,5	109	☐	77,28
PDT 130 Q	Swivel castor with total lock	130x40	450	166	135x110	105x80	10,5	140	☐	96,00
PDF 130 Q	Fixed castor	130x40	450	166	135x110	105x80	10,5		☐	61,08
PS 151 QK	Swivel castor	150x55	750	203	135x110	105x80	12,5	141	☐	140,52
PST 151 QK	Swivel castor with total lock	150x55	750	203	135x110	105x80	12,5	170	☐	183,72
PSF 151 QK	Fixed castor	150x55	750	203	135x110	105x80	12,5		☐	104,40
PS 151 Q	Swivel castor	150x55	750	203	135x110	105x80	12,5	141	☐	122,28
PST 151 Q	Swivel castor with total lock	150x55	750	203	135x110	105x80	12,5	170	☐	165,36
PSF 151 Q	Fixed castor	150x55	750	203	135x110	105x80	12,5		☐	86,52
PD 175 QK	Swivel castor	175x48	750	238	135x110	105x80	12,5	154	☐	146,88
PDT 175 QK	Swivel castor with total lock	175x48	750	238	135x110	105x80	12,5	170	☐	189,84
PDF 175 QK	Fixed castor	175x48	750	238	135x110	105x80	12,5		☐	110,04
PD 200 QK	Swivel castor	200x50	750	250	135x110	105x80	12,5	167	☐	169,80
PDT 200 QK	Swivel castor with total lock	200x50	750	250	135x110	105x80	12,5	170	☐	212,76

PDF 200 QK	Fixed castor	200x50	750	250	135x110	105x80	12,5			132,48
PD 200 Q	Swivel castor	200x50	750	250	135x110	105x80	12,5	167		152,64
PDT 200 Q	Swivel castor with total lock	200x50	750	250	135x110	105x80	12,5	170		195,60
PDF 200 Q	Fixed castor	200x50	750	250	135x110	105x80	12,5			115,44