

Stainless Steel Series XD, Wheel P



 max 370 kg  -30 °C - +80 °C  80-200 mm


swivels easily


wear resistant


shock proof


floor protective


weather proof

Material



Casted high quality nylon wheel

Material Fork



Finish: Polished stainless steel swivel fork AISI 304, stainless steel balls AISI 420, double ball bearing – revited, with dust protection ring, wheel axle bolted, total lock

Advantages

- ✓ easy running on smooth floors
- ✓ impact proof
- ✓ high abrasion resistance
- ✓ easy to clean
- ✓ high chemical resistance


Applications

- Kitchen equipment
- Mechatronik
- Wet environments
- Dollies

 ROLLENBAU



SWIVEL CASTOR



SWIVEL CASTOR WITH TOTAL LOCK



FIXED CASTOR

Dimensions

ARTICLE NUMBER	ARTICEL TYPE	WHEEL-Ø A X WIDTH B MM	LOAD CAPACITY KG	OVERALL HEIGHT H MM	DIMENSION OF TOP PLATE TP MM	HOLE SPACING HS MM	HOLE-Ø HD MM	SWIVEL RADIUS SR MM	WHEEL BEARING	PRICE €
XD 80 PBX	Swivel castor	80x30	150	106	102x83	80x60	9	75		61,44
XDT 80 PBX	Swivel castor with total lock	80x30	150	106	102x83	80x60	9	108		82,80
XF 80 PBX	Fixed castor	80x30	150	106	102x83	80x60	9			41,88
XD 80 P	Swivel castor	80x30	150	106	102x83	80x60	9	75		49,68
XDT 80 P	Swivel castor with total lock	80x30	150	106	102x83	80x60	9	108		71,16
XF 80 P	Fixed castor	80x30	150	106	102x83	80x60	9			30,48
XD 100 PBX	Swivel castor	100x30	150	128	102x83	80x60	9	88		64,44
XDT 100 PBX	Swivel castor with total lock	100x30	150	128	102x83	80x60	9	108		85,20
XF 100 PBX	Fixed castor	100x30	150	128	102x83	80x60	9			44,88
XD 100 PL	Swivel castor	100x30	150	128	102x83	80x60	9	88		52,68
XDT 100 PL	Swivel castor with total lock	100x30	150	128	102x83	80x60	9	108		73,92
XF 100 PL	Fixed castor	100x30	150	128	102x83	80x60	9			33,48
XD 125 PLLBX	Swivel castor	125x30	150	154	102x83	80x60	9	104		64,08
XDT 125 PLLBX	Swivel castor with total lock	125x30	150	154	102x83	80x60	9	108		90,24
XF 125 PLLBX	Fixed castor	125x30	150	154	102x83	80x60	9			45,24
XS 125 PBX	Swivel castor	125x40	250	160	102x83	80x60	9	113		98,16
XST 125 PBX	Swivel castor with total lock	125x40	250	160	102x83	80x60	9	140		125,04
XSF 125 PBX	Fixed castor	125x40	250	160	102x83	80x60	9			69,96
XSS 125 PBX	Swivel castor	125x40	250	160	135x110	105x80	11	113		106,68
XSST 125 PBX	Swivel castor with total lock	125x40	250	160	135x110	105x80	11	140		132,96
XSSF 125 PBX	Fixed castor	125x40	250	160	135x110	105x80	11			80,40
XD 125 PLL	Swivel castor	125x30	150	154	102x83	80x60	9	104		61,08
XDT 125 PLL	Swivel castor with total lock	125x30	150	154	102x83	80x60	9	108		87,60
XF 125 PLL	Fixed castor	125x30	150	154	102x83	80x60	9			42,48
XS 125 PL	Swivel castor	125x40	225	160	102x83	80x60	9	113		75,60
XST 125 PL	Swivel castor with total lock	125x40	225	160	102x83	80x60	9	140		100,32
XSF 125 PL	Fixed castor	125x40	225	160	102x83	80x60	9			49,08
XSS 125 PL	Swivel castor	125x40	225	160	135x110	105x80	11	113		85,44

XSST 125 PL	Swivel castor with total lock	125x40	225	160	135x110	105x80	11	140		109,92
XSSF 125 PL	Fixed castor	125x40	225	160	135x110	105x80	11			59,52
XD 150 PBX	Swivel castor	150x40	250	181	135x110	105x80	11	128		111,72
XDT 150 PBX	Swivel castor with total lock	150x40	250	181	135x110	105x80	11	140		138,00
XF 150 PBX	Fixed castor	150x40	250	181	135x110	105x80	11			84,36
XL 150 PBX	Swivel castor	150x40	250	181	102x83	80x60	9	128		106,08
XLT 150 PBX	Swivel castor with total lock	150x40	250	181	102x83	80x60	9	140		132,36
XLF 150 PBX	Fixed castor	150x40	250	181	102x83	80x60	9			78,36
XD 150 PL	Swivel castor	150x40	250	181	135x110	105x80	11	128		90,12
XDT 150 PL	Swivel castor with total lock	150x40	250	181	135x110	105x80	11	140		116,64
XF 150 PL	Fixed castor	150x40	250	181	135x110	105x80	11			62,40
XL 150 PL	Swivel castor	150x40	250	181	102x83	80x60	9	128		84,00
XLT 150 PL	Swivel castor with total lock	150x40	250	181	102x83	80x60	9	140		110,64
XLF 150 PL	Fixed castor	150x40	250	181	102x83	80x60	9			55,92
XD 175 PBX	Swivel castor	175x50	370	216	135x110	105x80	11	147		170,40
XDT 175 PBX	Swivel castor with total lock	175x50	370	216	135x110	105x80	11	168		210,72
XF 175 PBX	Fixed castor	175x50	370	216	135x110	105x80	11			128,64
XD 175 P	Swivel castor	175x50	370	216	135x110	105x80	11	147		136,80
XDT 175 P	Swivel castor with total lock	175x50	370	216	135x110	105x80	11	168		178,20
XF 175 P	Fixed castor	175x50	370	216	135x110	105x80	11			95,52
XD 200 PBX	Swivel castor	200x50	370	240	135x110	105x80	11	161		177,60
XDT 200 PBX	Swivel castor with total lock	200x50	370	240	135x110	105x80	11	168		218,04
XF 200 PBX	Fixed castor	200x50	370	240	135x110	105x80	11			135,36
XD 200 P	Swivel castor	200x50	370	240	135x110	105x80	11	161		145,32
XDT 200 P	Swivel castor with total lock	200x50	370	240	135x110	105x80	11	168		186,24
XF 200 P	Fixed castor	200x50	370	240	135x110	105x80	11			103,56