

Extra Heavy Duty Series ED, Wheel TL



max 1000 kg -30 °C - +80 °C 100-250 mm

+++
swivels easily

+++
wear resistant

+++
shock proof

+++
floor protective

+++
weather proof

Material



Tread: cast polyurethane, 95±3 Shore A
Core: De-cast aluminium alloy

Material Fork



For applications where a super strong and durable caster is required,
one tapered roller and one axial ball bearing,
dust protection ring,
very strong integrated Kingpin,
locked nut, grease nipple, wheel axle bolted,
finish – painted

Advantages


- ✓ silent in motion
- ✓ low rolling resistance
- ✓ high abrasion and tear resistance
- ✓ high resistance to shocks
- ✓ good chemical resistance

Applications


- Metal-Technology
- Heavy duty dollies
- Trash container trucks
- Machinery moving dollies
- Workshops
- Racks
- Building-Industry
- Carpentry



SWIVEL CASTOR



SWIVEL CASTOR WITH TOTAL LOCK



FIXED CASTOR

Dimensions

ARTICLE NUMBER	ARTICLE TYPE	WHEEL-Ø A X WIDTH B MM	LOAD CAPACITY KG	OVERALL HEIGHT H MM	DIMENSION OF TOP PLATE TP MM	HOLE SPACING HS MM	HOLE-Ø HD MM	SWIVEL RADIUS SR MM	WHEEL BEARING	PRICE €
ED 100 TLK	Swivel castor	100x30	200	145	105x85	80x60	9	91		160,68
EDF 100 TLK	Fixed castor	100x30	200	145	105x85	80x60	9			70,20
ED 101 TLK	Swivel castor	100x40	280	145	105x85	80x60	9	92		164,88
EDF 101 TLK	Fixed castor	100x40	280	145	105x85	80x60	9			74,64
ED 125 TLK	Swivel castor	125x30	250	172	135x110	105x80	11	113		192,72
EDF 125 TLK	Fixed castor	125x30	250	172	135x110	105x80	11			89,04
ED 126 TLK	Swivel castor	125x50	350	172	135x110	105x80	11	115		222,48
EDF 126 TLK	Fixed castor	125x50	350	172	135x110	105x80	11			109,92
ED 150 TLK	Swivel castor	150x40	400	195	135x110	105x80	11	132		209,16
EDF 150 TLK	Fixed castor	150x40	400	195	135x110	105x80	11			104,16
ED 151 TLK	Swivel castor	150x40	400	202	135x110	105x80	13	141		263,40
EDT 151 TLK	Swivel castor with total lock	150x40	400	202	135x110	105x80	13	150		308,64
EDF 151 TLK	Fixed castor	150x40	400	202	135x110	105x80	13			139,92
ED 160 TLK	Swivel castor	160x50	600	207	135x110	105x80	13	147		281,64
EDF 160 TLK	Fixed castor	160x50	600	207	135x110	105x80	13			158,04
ED 175 TLK	Swivel castor	175x40	550	239	135x110	105x80	13	159		255,12
EDT 175 TLK	Swivel castor with total lock	175x40	550	239	135x110	105x80	13	159		299,76
EDF 175 TLK	Fixed castor	175x40	550	239	135x110	105x80	13			128,16
ED 180 TLK	Swivel castor	180x50	700	241	135,110	105x80	13	172		276,36
EDT 180 TLK	Swivel castor with total lock	180x50	700	241	135,110	105x80	13	172		321,24
EDF 180 TLK	Fixed castor	180x50	700	241	135,110	105x80	13			149,16
ED 200 TLK	Swivel castor	200x50	800	251	135x110	105x80	13	172		290,28
EDT 200 TLK	Swivel castor with total lock	200x50	800	251	135x110	105x80	13	172		339,36
EDF 200 TLK	Fixed castor	200x50	800	251	135x110	105x80	13			162,36
ED 220 TLK	Swivel castor	250x60	1000	307	200x160	160x120	15	212		429,56

EDF 250 TLK	Fixed castor	250x60	1000	307	200x160	160x120	15		323,28