



Rail wheels - Single-flanged Wheel Series SSF



max 33600 kg -30 °C - +350 °C* 75-600 mm



Material

Single flanged wheel - cast steel BS 3100
tread properly machined
3° tread angle

Advantages

- ✓ very high load capacity
- ✓ excellent abrasion resistance
- ✓ for high temperatures

Applications

- Building-Industry

Dimensions

ARTICLE NUMBER	ARTICEL TYPE	WHEEL-Ø WITHOUT FLANGE MM	WHEEL-Ø WITH FLANGE MM	TREAD WIDTH MM	WHEEL WIDTH MM	LOAD CAPACITY KG	HUB WIDTH MM	WHEEL BEARING	BORE DIAMETER MM	PRICE €
75 SSF-20	Rail Wheel	75	100	25	37	1000	37		20 H7	auf Anfrage
75 SSFK 20	Rail Wheel	75	100	25	37	970	37		20	131,28
75 SSFTM 20	Rail Wheel	75	100	25	37	1000	37		20	auf Anfrage
100 SSF-20	Rail Wheel	100	125	25	37	1400	37		20 H7	auf Anfrage
100 SSFK 20	Rail Wheel	100	125	25	37	1140	37		20	149,28
100 SSFTM 20	Rail Wheel	100	125	25	37	1400	37		20	auf Anfrage
150 SSF-25	Rail Wheel	150	190	40	55	3300	55		25 H7	602,04
150 SSFK 25	Rail Wheel	150	190	40	55	1140	55		25	auf Anfrage
150 SSFTM 25	Rail Wheel	150	190	40	55	3300	55		25	auf Anfrage
200 SSF-30	Rail Wheel	200	240	55	70	6100	70		30 H7	auf Anfrage
200 SSFK 40	Rail Wheel	200	240	55	70	3384	70		40	auf Anfrage
200 SSFTM 35	Rail Wheel	200	240	55	70	6100	70		35	auf Anfrage
250 SSF-35	Rail Wheel	250	290	55	70	7600	70		35 H7	611,16
250 SSFK 50	Rail Wheel	250	290	55	70	7340	70		50	auf Anfrage
250 SSFTM 50	Rail Wheel	250	290	55	70	7600	70		50	auf Anfrage
300 SSF-40	Rail Wheel	300	345	60	80	10000	80		40 H7	auf Anfrage
300 SSFK 50	Rail Wheel	300	345	60	80	5800	80		50	1024,08
300 SSFTM 50	Rail Wheel	300	345	60	80	10000	80		50	auf Anfrage
350 SSF-50	Rail Wheel	350	395	60	80	11700	80		50 H7	auf Anfrage
350 SSFK 75	Rail Wheel	350	395	60	80	11700	80		75	auf Anfrage
350 SSFTM 60	Rail Wheel	350	395	60	80	11700	80		60	auf Anfrage
400 SSF-50	Rail Wheel	400	450	70	100	15600	100		50 H7	auf Anfrage
400 SSFK 75	Rail Wheel	400	450	70	100	15600	100		75	auf Anfrage
400 SSFTM 75	Rail Wheel	400	450	70	100	15600	100		75	auf Anfrage
450 SSF-75	Rail Wheel	450	495	95	125	24000	125		75 H7	auf Anfrage

450 SSFTM 100	Rail Wheel	450	495	95	125	24000	125		100	auf Anfrage
600 SSF-100	Rail Wheel	600	660	100	130	33600	130		100 H7	auf Anfrage
600 SSFTM 150	Rail Wheel	600	660	100	130	33600	130		150	auf Anfrage