


Spring-loaded Castors Series MFA, Wheel E



max 260 kg -20 °C - +70 °C 100-200 mm



Material



Tread: Elastic solid rubber tyre, black, 73±5 Shore A, vulcanised on wheel centre
Wheel centre: Die-cast aluminium alloy

Material Fork



Medium duty spring castors Finish: black painted, Polyurethane buffer spring, double ball bearing, equaliser swinging on bronze bushes

Advantages

- ✓ excellent running performance
- ✓ very silent in motion
- ✓ low rolling resistance
- ✓ good abrasion resistance
- ✓ corrosion resistant
- ✓ non-marking in grey

Applications

- Decoration carts
- Stage equipment



SWIVEL CASTOR



FIXED CASTOR

Dimensions

ARTICLE NUMBER	ARTICLE TYPE	WHEEL-Ø A X WIDTH B MM	LOAD CAPACITY KG	PRELOAD FORCE DAN	MAX. SPRING TRAVEL MM	OVERALL HEIGHT H MM	DIMENSION OF TOP PLATE TP MM	HOLE SPACING HS MM	HOLE-Ø HD MM	SWIVEL RADIUS SR MM	WHEEL BEARING	PRICE €
MFA 100 EK	Swivel castor	100x40	130	40	25	171	105x85	80x60	11	82		256,68
MFFA 100 EK	Fixed castor	100x40	130	40	25	171	105x85	80x60	11			197,28
MFA 100 EB	Swivel castor	100x40	130	40	25	171	105x85	80x60	11	82		250,80
MFFA 100 EB	Fixed castor	100x40	130	40	25	171	105x85	80x60	11			190,20
MFB 100 EK	Swivel castor	100x40	150	50	25	171	105x85	80x60	11	82		250,80
MFFB 100 EK	Fixed castor	100x40	150	50	25	171	105x85	80x60	11			193,56
MFB 100 EB	Swivel castor	100x40	150	50	25	171	105x85	80x60	11	82		243,36
MFFB 100 EB	Fixed castor	100x40	150	50	25	171	105x85	80x60	11			186,24
MFC 100 EK	Swivel castor	100x40	150	50	25	171	135x110	105x80	13	82		250,80
MFFC 100 EK	Fixed castor	100x40	150	50	25	171	135x110	105x80	13			193,56
MFC 100 EB	Swivel castor	100x40	150	50	25	171	135x110	105x80	13	82		244,92
MFFC 100 EB	Fixed castor	100x40	150	50	25	171	135x110	105x80	13			186,24
MFA 125 LEK	Swivel castor	125x40	180	90	25	207	105x85	80x60	11	97		272,16
MFFA 125 LEK	Fixed castor	125x40	180	90	25	207	105x85	80x60	11			214,68
MFA 125 LEB	Swivel castor	125x40	180	90	25	207	105x85	80x60	11	97		262,32
MFFA 125 LEB	Fixed castor	125x40	180	90	25	207	105x85	80x60	11			207,72
MFB 125 LEK	Swivel castor	125x40	180	90	25	207	135x110	105x80	13	97		272,16
MFFB 125 LEK	Fixed castor	125x40	180	90	25	207	135x110	105x80	13			213,12
MFB 125 LEB	Swivel castor	125x40	180	90	25	207	135x110	105x80	13	97		261,00
MFFB 125 LEB	Fixed castor	125x40	180	90	25	207	135x110	105x80	13			207,72
MFA 125 EK	Swivel castor	125x50	200	90	25	207	105x80	80x60	11	98		281,28
MFFA 125 EK	Fixed castor	125x50	200	90	25	207	105x80	80x60	11			222,00
MFA 125 EB	Swivel castor	125x50	200	90	25	207	105x80	80x60	11	98		270,36
MFFA 125 EB	Fixed castor	125x50	200	90	25	207	105x80	80x60	11			213,12
MFB 125 EK	Swivel castor	125x50	200	90	25	207	135x110	105x80	13	96		279,48

MFFB 125 EK	Fixed castor	125x50	200	90	25	207	135x110	105x80	13			222,00
MFB 125 EB	Swivel castor	125x50	200	90	25	207	135x110	105x80	13	96		270,36
MFFB 125 EB	Fixed castor	125x50	200	90	25	207	135x110	105x80	13			213,12
MFA 160 EK	Swivel castor	160x50	220	90	28	238	135x110	105x80	13	126		324,00
MFFA 160 EK	Fixed castor	160x50	220	90	28	238	135x110	105x80	13			262,80
MFA 160 EB	Swivel castor	160x50	220	90	28	238	135x110	105x80	13	126		312,60
MFFA 160 EB	Fixed castor	160x50	220	90	28	238	135x110	105x80	13			252,24
MFA 200 EK	Swivel castor	200x50	260	85	32	274	135x110	105x80	13	159		314,40
MFFA 200 EK	Fixed castor	200x50	260	85	32	274	135x110	105x80	13			256,68
MFA 200 EB	Swivel castor	200x50	260	85	32	274	135x110	105x80	13	159		305,64
MFFA 200 EB	Fixed castor	200x50	260	85	32	274	135x110	105x80	13			248,28