

Stainless Steel Series IP, Wheel RN



 max 480 kg  -20 °C - +70 °C  100-250 mm

+++
swivels easily

+++
wear resistant

+++
shock proof

+++
floor protective

+++
weather proof

Material



Elastic solid rubber tyre, blue, 73±5 Shore A, vulcanised on wheel centre

High quality nylon wheel centre, black

Material Fork



Finish: Polished stainless steel swivel fork AISI 304, stainless steel Kingpin AISI 303 riveted to the top plate, stainless steel balls AISI 420, thermoplastic dust seal (water proof), self-locking stainless steel nut, adjustable total lock

Advantages

- ✓ excellent running performance
- ✓ very silent in motion
- ✓ low rolling resistance
- ✓ good abrasion resistance
- ✓ corrosion resistant
- ✓ non-marking

Applications

- Wet environments
- Dollies

 ROLLENBAU



SWIVEL CASTOR



SWIVEL CASTOR WITH TOTAL LOCK



FIXED CASTOR

Dimensions

ARTICLE NUMBER	ARTICLE TYPE	WHEEL Ø A X WIDTH B MM	LOAD CAPACITY KG	OVERALL HEIGHT H MM	DIMENSION OF TOP PLATE TP MM	HOLE SPACING HS MM	HOLE Ø HD MM	SWIVEL RADIUS SR MM	WHEEL BEARING	PRICE €
IP 100 RNBX	Swivel castor	100x40	150	137	105x85	80x60	9	94		140,04
IPT 100 RNBX	Swivel castor with total lock	100x40	150	137	105x85	80x60	9	140		183,84
IPF 100 RNBX	Fixed castor	100x40	150	137	105x85	80x60	9			67,44
IP 100 RN	Swivel castor	100x40	150	137	105x85	80x60	9	94		131,28
IPT 100 RN	Swivel castor with total lock	100x40	150	137	105x85	80x60	9	140		174,96
IPF 100 RN	Fixed castor	100x40	150	137	105x85	80x60	9			58,20
IPS 100 RNBX	Swivel castor	100x40	150	137	135x110	105x80	11	94		147,00
IPST 100 RNBX	Swivel castor with total lock	100x40	150	137	135x110	105x80	11	170		190,20
IPSF 100 RNBX	Fixed castor	100x40	150	137	135x110	105x80	11			82,32
IPS 100 RN	Swivel castor	100x40	150	137	135x110	105x80	11	94		137,28
IPST 100 RN	Swivel castor with total lock	100x40	150	137	135x110	105x80	11	170		180,36
IPSF 100 RN	Fixed castor	100x40	150	137	135x110	105x80	11			73,68
IP 125 RNBX	Swivel castor	125x40	180	162	105x85	80x60	9	106		150,12
IPT 125 RNBX	Swivel castor with total lock	125x40	180	162	105x85	80x60	9	140		201,48
IPF 125 RNBX	Fixed castor	125x40	180	162	105x85	80x60	9			82,20
IP 125 RN	Swivel castor	125x40	180	162	105x85	80x60	9	106		139,92
IPT 125 RN	Swivel castor with total lock	125x40	180	162	105x85	80x60	9	140		183,72
IPF 125 RN	Fixed castor	125x40	180	162	105x85	80x60	9			72,00
IPS 125 RNBX	Swivel castor	125x40	180	162	135x110	105x80	11	106		155,64
IPST 125 RNBX	Swivel castor with total lock	125x40	180	162	135x110	105x80	11	170		200,52
IPSF 125 RNBX	Fixed castor	125x40	180	162	135x110	105x80	11			92,64
IPS 125 RN	Swivel castor	125x40	180	162	135x110	105x80	11	106		145,32
IPST 125 RN	Swivel castor with total lock	125x40	180	162	135x110	105x80	11	170		190,08
IPSF 125 RN	Fixed castor	125x40	180	162	135x110	105x80	11			82,44
IP 150 RNBX	Swivel castor	150x40	240	192	135x110	105x80	11	126		163,68
IPT 150 RNBX	Swivel castor with total lock	150x40	240	192	135x110	105x80	11	170		214,08

IPF 150 RNBX	Fixed castor	150x40	240	192	135x110	105x80	11			104,40
IP 150 RN	Swivel castor	150x40	240	192	135x110	105x80	11	126		157,44
IPT 150 RN	Swivel castor with total lock	150x40	240	192	135x110	105x80	11	170		200,76
IPF 150 RN	Fixed castor	150x40	240	192	135x110	105x80	11			91,80
IP 180 RNBX	Swivel castor	180x50	350	238	135x110	105x80	13	152		302,40
IPT 180 RNBX	Swivel castor with total lock	180x50	350	238	135x110	105x80	13	170		370,44
IPF 180 RNBX	Fixed castor	180x50	350	238	135x110	105x80	13			187,44
IP 200 RNBX	Swivel castor	200x50	400	248	135x110	105x80	13	162		298,56
IPT 200 RNBX	Swivel castor with total lock	200x50	400	248	135x110	105x80	13	170		366,36
IPF 200 RNBX	Fixed castor	200x50	400	248	135x110	105x80	13			184,20
IP 250 RNBX	Swivel castor	250x50	480	303	135x110	105x80	13	196		357,72
IPT 250 RNBX	Swivel castor with total lock	250x50	480	303	135x110	105x80	13	196		424,92
IPF 250 RNBX	Fixed castor	250x50	480	303	135x110	105x80	13			318,12
IP 250 RN	Swivel castor	250x50	480	303	135x110	105x80	13	196		321,12
IPT 250 RN	Swivel castor with total lock	250x50	480	303	135x110	105x80	13	196		387,96
IPF 250 RN	Fixed castor	250x50	480	303	135x110	105x80	13			279,24