

Transport Series CD, Wheel TL

 max 300 kg  -30 °C - +80 °C  80-200 mm

 **swivels easily**

 **wear resistant**

 **shock proof**

 **floor protective**

 **weather proof**

Material



Tread: cast polyurethane, 95±3 Shore A
Core: De-cast aluminium alloy

Material Fork



Finish: electro-zinc plated, double ball bearing – revited, hardened steel balls thermoplastic dust protection ring, wheel axle bolted, total lock

Advantages

- ✓ silent in motion
- ✓ low rolling resistance
- ✓ high abrasion and tear resistance
- ✓ high resistance to shocks
- ✓ good chemical resistance

Applications

- Metal-Technology
- Workshops
- Dollies
- Carpentry
- Building-Industry

 **ROLLENBAU**



SWIVEL CASTOR



SWIVEL CASTOR WITH TOTAL LOCK



FIXED CASTOR

Dimensions

ARTICLE NUMBER	ARTICEL TYPE	WHEEL-Ø A X WIDTH B MM	LOAD CAPACITY KG	OVERALL HEIGHT H MM	DIMENSION OF TOP PLATE TP MM	HOLE SPACING HS MM	HOLE-Ø HD MM	SWIVEL RADIUS SR MM	WHEEL BEARING	PRICE €
CD 80 TLK	Swivel castor	80x20	120	106	102x83	80x60	9	74		48,84
CDT 80 TLK	Swivel castor with total lock	80x20	120	106	102x83	80x60	9	108		62,64
CDF 80 TLK	Fixed castor	80x20	120	106	102x83	80x60	9			40,44
CD 100 TLK	Swivel castor	100x30	120	128	102x83	80x60	9	88		68,64
CDT 100 TLK	Swivel castor with total lock	100x30	120	128	102x83	80x60	9	108		83,28
CDF 100 TLK	Fixed castor	100x30	120	128	102x83	80x60	9			61,08
CD 100 TLB	Swivel castor	100x30	120	128	102x83	80x60	9	88		52,68
CDT 100 TLB	Swivel castor with total lock	100x30	120	128	102x83	80x60	9	108		66,84
CDF 100 TLB	Fixed castor	100x30	120	128	102x83	80x60	9			44,16
CS 101 TLK	Swivel castor	100x40	120	128	102x83	80x60	9	99		77,64
CST 101 TLK	Swivel castor with total lock	100x40	120	128	102x83	80x60	9	140		93,00
CSF 101 TLK	Fixed castor	100x40	120	128	102x83	80x60	9			70,32
CS 101 TLB	Swivel castor	100x40	120	128	102x83	80x60	9	99		72,00
CST 101 TLB	Swivel castor with total lock	100x40	120	128	102x83	80x60	9	140		86,16
CSF 101 TLB	Fixed castor	100x40	120	128	102x83	80x60	9			63,60
CD 125 TLK	Swivel castor	125x30	120	154	102x83	80x60	9	104		74,28
CDT 125 TLK	Swivel castor with total lock	125x30	120	154	102x83	80x60	9	108		88,56
CDF 125 TLK	Fixed castor	125x30	120	154	102x83	80x60	9			65,76
CD 125 TLB	Swivel castor	125x30	120	154	102x83	80x60	9	104		57,24
CDT 125 TLB	Swivel castor with total lock	125x30	120	154	102x83	80x60	9	108		71,76
CDF 125 TLB	Fixed castor	125x30	120	154	102x83	80x60	9			48,96
CS 125 TLK	Swivel castor	125x30	170	160	102x83	80x60	9	113		77,16
CST 125 TLK	Swivel castor with total lock	125x30	170	160	102x83	80x60	9	140		90,72
CSF 125 TLK	Fixed castor	125x30	170	160	102x83	80x60	9			67,08
CS 125 TLB	Swivel castor	125x30	170	160	102x83	80x60	9	113		67,44

CST 125 TLB	Swivel castor with total lock	125x30	170	160	102x83	80x60	9	140		73,92
CSF 125 TLB	Fixed castor	125x30	170	160	102x83	80x60	9			51,72
CSS 125 TLK	Swivel castor	125x30	200	160	135x110	105x80	11	113		81,00
CSST 125 TLK	Swivel castor with total lock	125x30	200	160	135x110	105x80	11	140		93,48
CSSF 125 TLK	Fixed castor	125x30	200	160	135x110	105x80	11			68,64
CSS 125 TLB	Swivel castor	125x30	200	160	135x110	105x80	11	113		64,92
CSST 125 TLB	Swivel castor with total lock	125x30	200	160	135x110	105x80	11	140		77,40
CSSF 125 TLB	Fixed castor	125x30	200	160	135x110	105x80	11			52,80
CD 150 TLK	Swivel castor	150x40	200	181	135x110	105x80	11	128		104,76
CDT 150 TLK	Swivel castor with total lock	150x40	200	181	135x110	105x80	11	140		121,44
CDF 150 TLK	Fixed castor	150x40	200	181	135x110	105x80	11			92,28
CD 150 TLB	Swivel castor	150x40	200	181	135x110	105x80	11	128		85,20
CDT 150 TLB	Swivel castor with total lock	150x40	200	181	135x110	105x80	11	140		102,36
CDF 150 TLB	Fixed castor	150x40	200	181	135x110	105x80	11			72,48
CL 150 TLK	Swivel castor	150x40	170	181	102x83	80x60	9	128		100,92
CLT 150 TLK	Swivel castor with total lock	150x40	170	181	102x83	80x60	9	140		117,60
CLF 150 TLK	Fixed castor	150x40	170	181	102x83	80x60	9			90,24
CL 150 TLB	Swivel castor	150x40	170	181	102x83	80x60	9	128		81,84
CLT 150 TLB	Swivel castor with total lock	150x40	170	181	102x83	80x60	9	140		98,28
CLF 150 TLB	Fixed castor	150x40	170	181	102x83	80x60	9			71,76
CS 160 TLK	Swivel castor	160x40	300	196	135x110	105x80	11	137		116,04
CST 160 TLK	Swivel castor with total lock	160x40	300	196	135x110	105x80	11	168		130,08
CSF 160 TLK	Fixed castor	160x40	300	196	135x110	105x80	11			85,20
CS 160 TLB	Swivel castor	160x40	300	196	135x110	105x80	11	137		96,48
CST 160 TLB	Swivel castor with total lock	160x40	300	196	135x110	105x80	11	168		116,64
CSF 160 TLB	Fixed castor	160x40	300	196	135x110	105x80	11			85,80
CD 175 TLK	Swivel castor	175x40	300	216	135x110	105x80	11	146		123,48

CDT 175 TLK	Swivel castor with total lock	175x40	300	216	135x110	105x80	11	168		144,48
CDF 175 TLK	Fixed castor	175x40	300	216	135x110	105x80	11			108,00
CD 175 TLB	Swivel castor	175x40	300	216	135x110	105x80	11	146		105,36
CDT 175 TLB	Swivel castor with total lock	175x40	300	216	135x110	105x80	11	168		126,60
CDF 175 TLB	Fixed castor	175x40	300	216	135x110	105x80	11			89,88
CD 200 TLK	Swivel castor	200x50	300	240	135x110	105x80	11	161		147,96
CDT 200 TLK	Swivel castor with total lock	200x50	300	240	135x110	105x80	11	168		168,72
CDF 200 TLK	Fixed castor	200x50	300	240	135x110	105x80	11			132,96
CD 200 TLB	Swivel castor	200x50	300	240	135x110	105x80	11	161		125,16
CDT 200 TLB	Swivel castor with total lock	200x50	300	240	135x110	105x80	11	168		145,68
CDF 200 TLB	Fixed castor	200x50	300	240	135x110	105x80	11			110,28