


Transport Series CD, Wheel PS



max 300 kg -30 °C - +80 °C 100-200 mm



Material



Cast soft polyurethane coating,
87±3 Shore A
High quality nylon wheel centre

Material Fork



Finish: electro-zinc plated, double ball bearing – revited, hardened
steel balls thermoplastic dust protection ring, wheel axle bolted,
total lock

Advantages

- ✓ very silent in motion
- ✓ low rolling resistance
- ✓ high abrasion and tear resistance
- ✓ high resistance to shocks
- ✓ easy to clean
- ✓ good chemical resistance

Applications

- Metal-Technology
- Workshops
- Dollies
- Carpentry
- Building-Industry



SWIVEL CASTOR



SWIVEL CASTOR WITH TOTAL LOCK



FIXED CASTOR

Dimensions

ARTICLE NUMBER	ARTICEL TYPE	WHEEL-Ø A X WIDTH B MM	LOAD CAPACITY KG	OVERALL HEIGHT H MM	DIMENSION OF TOP PLATE TP MM	HOLE SPACING HS MM	HOLE-Ø HD MM	SWIVEL RADIUS SR MM	WHEEL BEARING	PRICE €
CS 100 PSK	Swivel castor	100x40	200	129	102x83	80x60	9	98		67,08
CST 100 PSK	Swivel castor with total lock	100x40	200	129	102x83	80x60	9	140		86,16
CSF 100 PSK	Fixed castor	100x40	200	129	102x83	80x60	9			58,32
CS 100 PSB	Swivel castor	100x40	200	129	102x83	80x60	9	98		58,92
CST 100 PSB	Swivel castor with total lock	100x40	200	129	102x83	80x60	9	140		78,72
CSF 100 PSB	Fixed castor	100x40	200	129	102x83	80x60	9			50,52
CSS 125 PSK	Swivel castor	125x40	200	160	135x110	105x80	11	113		87,60
CSST 125 PSK	Swivel castor with total lock	125x40	200	160	135x110	105x80	11	140		100,32
CSSF 125 PSK	Fixed castor	125x40	200	160	135x110	105x80	11			72,36
CSS 125 PSB	Swivel castor	125x40	200	160	135x110	105x80	11	113		71,88
CSST 125 PSB	Swivel castor with total lock	125x40	200	160	135x110	105x80	11	140		91,08
CSSF 125 PSB	Fixed castor	125x40	200	160	135x110	105x80	11			62,64
CS 125 PSK	Swivel castor	125x40	200	160	102x83	80x60	11	113		91,92
CST 125 PSK	Swivel castor with total lock	125x40	200	160	102x83	80x60	11	140		97,08
CSF 125 PSK	Fixed castor	125x40	200	160	102x83	80x60	11			81,96
CS 125 PSB	Swivel castor	125x40	200	160	102x83	80x60	11	126		69,24
CST 125 PSB	Swivel castor with total lock	125x40	200	160	102x83	80x60	11	140		88,92
CSF 125 PSB	Fixed castor	125x40	200	160	102x83	80x60	11			61,20
CD 150 PSK	Swivel castor	150x40	200	181	135x110	105x80	11	128		90,72
CDT 150 PSK	Swivel castor with total lock	150x40	200	181	135x110	105x80	11	140		111,72
CDF 150 PSK	Fixed castor	150x40	200	181	135x110	105x80	11			83,28
CD 150 PSB	Swivel castor	150x40	200	181	135x110	105x80	11	128		83,28
CDT 150 PSB	Swivel castor with total lock	150x40	200	181	135x110	105x80	11	140		102,96
CDF 150 PSB	Fixed castor	150x40	200	181	135x110	105x80	11			74,52
CL 180 PSK	Swivel castor	150x40	200	181	102x83	80x60	9	128		89,44

CLT 150 PSK	Swivel castor with total lock	150x40	200	181	102x83	80x60	9	140		108,96
CLF 150 PSK	Fixed castor	150x40	200	181	102x83	80x60	9			81,72
CL 150 PSB	Swivel castor	150x40	200	181	102x83	80x60	9	128		80,88
CLT 150 PSB	Swivel castor with total lock	150x40	200	181	102x83	80x60	9	140		99,72
CLF 150 PSB	Fixed castor	150x40	200	181	102x83	80x60	9			72,24
CD 200 PSK	Swivel castor	200x50	300	240	135x110	105x80	11	161		129,60
CDT 200 PSK	Swivel castor with total lock	200x50	300	240	135x110	105x80	11	168		150,96
CDF 200 PSK	Fixed castor	200x50	300	240	135x110	105x80	11			115,08
CD 200 PSB	Swivel castor	200x50	300	240	135x110	105x80	11	161		116,04
CDT 200 PSB	Swivel castor with total lock	200x50	300	240	135x110	105x80	11	168		137,04
CDF 200 PSB	Fixed castor	200x50	300	240	135x110	105x80	11			100,92