

Transport Series CD, Wheel E

 max 300 kg  -20 °C - +70 °C  100-200 mm

+++
swivels easily

+++
wear resistant

+++
shock proof

+++
floor protective

+++
weather proof

Material



Tread: Elastic solid rubber tyre, black, 73±5 Shore A, vulcanised on wheel centre
Wheel centre: Die-cast aluminium alloy

Material Fork



Finish: electro-zinc plated, double ball bearing – revited, hardened steel balls thermoplastic dust protection ring, wheel axle bolted, total lock

Advantages

- ✓ excellent running performance
- ✓ very silent in motion
- ✓ low rolling resistance
- ✓ good abrasion resistance
- ✓ corrosion resistant
- ✓ non-marking in grey

Applications

- Bins
- Refuse bins
- Dollies
- Trash containers
- Refuse containers

 ROLLENBAU



SWIVEL CASTOR



SWIVEL CASTOR WITH TOTAL LOCK



FIXED CASTOR

Dimensions

ARTICLE NUMBER	ARTICLE TYPE	WHEEL-Ø A X WIDTH B MM	LOAD CAPACITY KG	OVERALL HEIGHT H MM	DIMENSION OF TOP PLATE TP MM	HOLE SPACING HS MM	HOLE-Ø HD MM	SWIVEL RADIUS SR MM	WHEEL BEARING	PRICE €
CD 100 EK	Swivel castor	100x40	120	128	102x83	80x60	9	89		66,60
CDT 100 EK	Swivel castor with total lock	100x40	120	128	102x83	80x60	9	108		81,00
CDF 100 EK	Fixed castor	100x40	120	128	102x83	80x60	9			58,20
CD 100 EB	Swivel castor	100x40	120	128	102x83	80x60	9	89		50,52
CDT 100 EB	Swivel castor with total lock	100x40	120	128	102x83	80x60	9	108		65,16
CDF 100 EB	Fixed castor	100x40	120	128	102x83	80x60	9			42,48
CD 125 LEK	Swivel castor	125x40	120	154	102x83	80x60	9	104		73,92
CDT 125 LEK	Swivel castor with total lock	125x40	120	154	102x83	80x60	9	108		88,32
CDF 125 LEK	Fixed castor	125x40	120	154	102x83	80x60	9			67,44
CD 125 LEB	Swivel castor	125x40	120	154	102x83	80x60	9	104		65,76
CDT 125 LEB	Swivel castor with total lock	125x40	120	154	102x83	80x60	9	108		80,64
CDF 125 LEB	Fixed castor	125x40	120	154	102x83	80x60	9			59,28
CS 125 EK	Swivel castor	125x50	170	160	102x83	80x60	9	114		84,36
CST 125 EK	Swivel castor with total lock	125x50	170	160	102x83	80x60	9	140		100,92
CSF 125 EK	Fixed castor	125x50	170	160	102x83	80x60	9			74,52
CS 125 EB	Swivel castor	125x50	170	160	102x83	80x60	9	114		64,92
CST 125 EB	Swivel castor with total lock	125x50	170	160	102x83	80x60	9	140		81,72
CSF 125 EB	Fixed castor	125x50	170	160	102x83	80x60	9			54,72
CSS 125 EK	Swivel castor	125x50	200	160	135x110	105x80	11	114		88,08
CSST 125 EK	Swivel castor with total lock	125x50	200	160	135x110	105x80	11	140		104,40
CSSF 125 EK	Fixed castor	125x50	200	160	135x110	105x80	11			75,84
CSS 125 EB	Swivel castor	125x50	200	160	135x110	105x80	11	114		68,28
CSST 125 EB	Swivel castor with total lock	125x50	200	160	135x110	105x80	11	140		84,84
CSSF 125 EB	Fixed castor	125x50	200	160	135x110	105x80	11			56,04
CS 160 EK	Swivel castor	160x50	300	196	135x110	105x80	11	138		149,64

CST 160 EK	Swivel castor with total lock	160x50	300	196	135x110	105x80	11	168		130,92
CSF 160 EK	Fixed castor	160x50	300	196	135x110	105x80	11			99,24
CS 160 EB	Swivel castor	160x50	300	196	135x110	105x80	11	138		95,64
CST 160 EB	Swivel castor with total lock	160x50	300	196	135x110	105x80	11	168		112,56
CSF 160 EB	Fixed castor	160x50	300	196	135x110	105x80	11			80,64
CD 180 EK	Swivel castor	180x50	300	218	135x110	105x80	11	149		117,96
CDT 180 EK	Swivel castor with total lock	180x50	300	218	135x110	105x80	11	168		139,44
CDF 180 EK	Fixed castor	180x50	300	218	135x110	105x80	11			102,96
CD 180 EB	Swivel castor	180x50	300	218	135x110	105x80	11	149		99,36
CDT 180 EB	Swivel castor with total lock	180x50	300	218	135x110	105x80	11	168		120,84
CDF 180 EB	Fixed castor	180x50	300	218	135x110	105x80	11			84,00
CD 200 EK	Swivel castor	200x50	300	240	135x110	105x80	11	161		118,56
CDT 200 EK	Swivel castor with total lock	200x50	300	240	135x110	105x80	11	168		139,56
CDF 200 EK	Fixed castor	200x50	300	240	135x110	105x80	11			103,56
CD 200 EB	Swivel castor	200x50	300	240	135x110	105x80	11	161		99,36
CDT 200 EB	Swivel castor with total lock	200x50	300	240	135x110	105x80	11	168		120,72
CDF 200 EB	Fixed castor	200x50	300	240	135x110	105x80	11			84,36