

Transport Series CD, Wheel CG

 max 280 kg  -20 °C - +60 °C  80-200 mm


swivels easily


wear resistant


shock proof


floor protective


weather proof

Material



Elastic solid rubber tyre, grey, 75±5 Shore A
Revited steel rim, zinc-plated

Material Fork



Finish: electro-zinc plated, double ball bearing – revited, hardened
steel balls thermoplastic dust protection ring, wheel axle bolted,
total lock

Advantages

- ✓ non-marking – floor protective
- ✓ excellent running performance
- ✓ very silent in motion
- ✓ low rolling resistance
- ✓ good abrasion resistance

Applications

- Caddies
- Platform trucks
- Mobile tool racks
- Flight cases
- Bins
- Tow line trucks
- Tow-line trucks
- Chair dollies
- Table dollies
- Furniture dollies
- Refuse bins
- Delivery containers
- Diagnostic equipment
- Dollies
- Automobile test equipment
- Trash containers
- Refuse containers

 ROLLENBAU



SWIVEL CASTOR



SWIVEL CASTOR WITH TOTAL LOCK



FIXED CASTOR

Dimensions

ARTICLE NUMBER	ARTICEL TYPE	WHEEL-Ø A X WIDTH B MM	LOAD CAPACITY KG	OVERALL HEIGHT H MM	DIMENSION OF TOP PLATE TP MM	HOLE SPACING HS MM	HOLE-Ø HD MM	SWIVEL RADIUS SR MM	WHEEL BEARING	PRICE €
CD 80 CGB	Swivel castor	80x30	70	106	102x83	80x60	9	75		28,56
CDT 80 CGB	Swivel castor with total lock	80x30	70	106	102x83	80x60	9	108		43,92
CDF 80 CGB	Fixed castor	80x30	70	106	102x83	80x60	9			20,88
CD 100 CGK	Swivel castor	100x30	90	128	102x83	80x60	9	88		38,64
CDT 100 CGK	Swivel castor with total lock	100x30	90	128	102x83	80x60	9	108		53,16
CDF 100 CGK	Fixed castor	100x30	90	128	102x83	80x60	9			30,48
CD 100 CGB	Swivel castor	100x30	90	128	102x83	80x60	9	88		31,92
CDT 100 CGB	Swivel castor with total lock	100x30	90	128	102x83	80x60	9	108		45,60
CDF 100 CGB	Fixed castor	100x30	90	128	102x83	80x60	9			23,52
CD 125 CGK	Swivel castor	125x38	120	154	102x83	80x60	9	104		44,04
CDT 125 CGK	Swivel castor with total lock	125x38	120	154	102x83	80x60	9	108		58,32
CDF 125 CGK	Fixed castor	125x38	120	154	102x83	80x60	9			35,40
CD 125 CGB	Swivel castor	125x38	120	154	102x83	80x60	9	104		36,84
CDT 125 CGB	Swivel castor with total lock	125x38	120	154	102x83	80x60	9	108		51,72
CDF 125 CGB	Fixed castor	125x38	120	154	102x83	80x60	9			28,44
CD 150 CGK	Swivel castor	150x40	200	181	135x110	105x80	11	128		59,64
CDT 150 CGK	Swivel castor with total lock	150x40	200	181	135x110	105x80	11	140		77,04
CDF 150 CGK	Fixed castor	150x40	200	181	135x110	105x80	11			47,76
CL 150 CGK	Swivel castor	150x40	200	181	102x83	80x60	9	128		56,04
CLT 150 CGK	Swivel castor with total lock	150x40	200	181	102x83	80x60	9	140		72,48
CLF 150 CGK	Fixed castor	150x40	200	181	102x83	80x60	9			45,24
CD 150 CGB	Swivel castor	150x40	200	181	135x110	105x80	11	128		52,20
CDT 150 CGB	Swivel castor with total lock	150x40	200	181	135x110	105x80	11	140		68,52
CDF 150 CGB	Fixed castor	150x40	200	181	135x110	105x80	11			39,48
CL 150 CGB	Swivel castor	150x40	200	181	102x83	80x60	9	128		48,92

CLT 150 CGB	Swivel castor with total lock	150x40	200	181	102x83	80x60	9	140		64,92
CLF 150 CGB	Fixed castor	150x40	200	181	102x83	80x60	9			38,16
CD 160 CGK	Swivel castor	160x40	200	191	135x110	105x80	11	133		61,92
CDT 160 CGK	Swivel castor with total lock	160x40	200	191	135x110	105x80	11	140		78,84
CDF 160 CGK	Fixed castor	160x40	200	191	135x110	105x80	11			49,20
CD 160 CGB	Swivel castor	160x40	200	191	135x110	105x80	11	133		54,00
CDT 160 CGB	Swivel castor with total lock	160x40	200	191	135x110	105x80	11	140		70,92
CDF 160 CGB	Fixed castor	160x40	200	191	135x110	105x80	11			41,76
CD 200 CGK	Swivel castor	200x50	280	240	135x110	105x80	11	161		93,12
CDT 200 CGK	Swivel castor with total lock	200x50	280	240	135x110	105x80	11	168		113,76
CDF 200 CGK	Fixed castor	200x50	280	240	135x110	105x80	11			77,40
CD 200 CGB	Swivel castor	200x50	280	240	135x110	105x80	11	161		81,00
CDT 200 CGB	Swivel castor with total lock	200x50	280	240	135x110	105x80	11	168		102,36
CDF 200 CGB	Fixed castor	200x50	280	240	135x110	105x80	11			65,76