

Transport Series CD, Wheel DG

 max 230 kg  -20 °C - +60 °C  80-200 mm


swivels easily


wear resistant


shock proof


floor protective


weather proof

Material



Elastic solid rubber tyre, grey, 75±5 Shore A

Quality nylon wheel centre, black

Material Fork



Finish: electro-zinc plated, double ball bearing – revited, hardened steel balls thermoplastic dust protection ring, wheel axle bolted, total lock

Advantages

- ✓ non-marking – floor protective
- ✓ excellent running performance
- ✓ very silent in motion
- ✓ low rolling resistance
- ✓ good abrasion resistance

Applications

- Platform trucks
- Bins
- Tow line trucks
- Tow-line trucks
- Chair dollies
- Table dollies
- Refuse bins
- Delivery containers
- Diagnostic equipment
- Dollies
- Automobile test equipment
- Trash containers
- Refuse containers

 ROLLENBAU



SWIVEL CASTOR



SWIVEL CASTOR WITH TOTAL LOCK



FIXED CASTOR

Dimensions

ARTICLE NUMBER	ARTICEL TYPE	WHEEL-Ø A X WIDTH B MM	LOAD CAPACITY KG	OVERALL HEIGHT H MM	DIMENSION OF TOP PLATE TP MM	HOLE SPACING HS MM	HOLE-Ø HD MM	SWIVEL RADIUS SR MM	WHEEL BEARING	PRICE €
CD 80 DGB	Swivel castor	80x30	55	106	102x83	80x60	9	75		27,96
CDT 80 DGB	Swivel castor with total lock	80x30	55	106	102x83	80x60	9	108		41,88
CDF 80 DGB	Fixed castor	80x30	55	106	102x83	80x60	9			19,32
CD 80 DG	Swivel castor	80x30	55	106	102x83	80x60	9	75		24,36
CDT 80 DG	Swivel castor with total lock	80x30	55	106	102x83	80x60	9	108		39,00
CDF 80 DG	Fixed castor	80x30	55	106	102x83	80x60	9			16,68
CD 100 DGB	Swivel castor	100x30	85	128	102x83	80x60	9	88		28,44
CDT 100 DGB	Swivel castor with total lock	100x30	85	128	102x83	80x60	9	108		43,08
CDF 100 DGB	Fixed castor	100x30	85	128	102x83	80x60	9			20,52
CD 100 DG	Swivel castor	100x30	85	128	102x83	80x60	9	88		28,08
CDT 100 DG	Swivel castor with total lock	100x30	85	128	102x83	80x60	9	108		42,00
CDF 100 DG	Fixed castor	100x30	85	128	102x83	80x60	9			19,44
CD 125 DGB	Swivel castor	125x38	110	154	102x83	80x60	9	104		33,48
CDT 125 DGB	Swivel castor with total lock	125x38	110	154	102x83	80x60	9	108		48,48
CDF 125 DGB	Fixed castor	125x38	110	154	102x83	80x60	9			25,20
CD 125 DG	Swivel castor	125x38	110	154	102x83	80x60	9	104		32,64
CDT 125 DG	Swivel castor with total lock	125x38	110	154	102x83	80x60	9	108		47,64
CDF 125 DG	Fixed castor	125x38	110	154	102x83	80x60	9			24,00
CD 150 DGB	Swivel castor	150x40	150	181	135x110	105x80	11	128		48,96
CDT 150 DGB	Swivel castor with total lock	150x40	150	181	135x110	105x80	11	140		65,16
CDF 150 DGB	Fixed castor	150x40	150	181	135x110	105x80	11			35,88
CL 150 DGB	Swivel castor	150x40	150	181	102x83	80x60	9	128		44,88
CLT 150 DGB	Swivel castor with total lock	150x40	150	181	102x83	80x60	9	140		61,44
CLF 150 DGB	Fixed castor	150x40	150	181	102x83	80x60	9			34,20
CD 150 DG	Swivel castor	150x40	150	181	135x110	105x80	11	128		47,76
CDT 150 DG	Swivel castor with total lock	150x40	150	181	135x110	105x80	11	140		64,44

CDF 150 DG	Fixed castor	150x40	150	181	135x110	105x80	11		≡	35,28
CL 150 DG	Swivel castor	150x40	150	181	102x83	80x60	9	128	≡	44,04
CLT 150 DG	Swivel castor with total lock	150x40	150	181	102x83	80x60	9	140	≡	64,44
CLF 150 DG	Fixed castor	150x40	150	181	102x83	80x60	9		≡	33,48
CD 160 DGB	Swivel castor	160x40	160	191	135x110	105x80	11	133	≡	50,52
CDT 160 DGB	Swivel castor with total lock	160x40	160	191	135x110	105x80	11	140	≡	67,08
CDF 160 DGB	Fixed castor	160x40	160	191	135x110	105x80	11		≡	38,16
CD 160 DG	Swivel castor	160x40	160	191	135x110	105x80	11	133	≡	49,68
CDT 160 DG	Swivel castor with total lock	160x40	160	191	135x110	105x80	11	140	≡	66,12
CDF 160 DG	Fixed castor	160x40	160	191	135x110	105x80	11		≡	36,84
CD 200 DGB	Swivel castor	200x50	230	240	135x110	105x80	11	161	≡	75,84
CDT 200 DGB	Swivel castor with total lock	200x50	230	240	135x110	105x80	11	168	≡	97,08
CDF 200 DGB	Fixed castor	200x50	230	240	135x110	105x80	11		≡	61,08
CD 200 DG	Swivel castor	200x50	230	240	135x110	105x80	11	161	≡	73,92
CDT 200 DG	Swivel castor with total lock	200x50	230	240	135x110	105x80	11	168	≡	95,04
CDF 200 DG	Fixed castor	200x50	230	240	135x110	105x80	11		≡	58,80